

# SOLAR FLOOD LIGHT

Optical control + remote control (With digital display)



Solar panels



Fast charging



High capacity



High brightness



Rainproof thunder

# INFORMATION

QUALITY IS OUR CULTURE



**Model** GD-TG-S15-2

**Watt** 100W

**Light Size** 245\*225\*82mm

**IP grade** IP65

**LED Chip** 5730

**Material** Die casting aluminum



**Model** GD-TG-S15-2

**Watt** 200W

**Light Size** 365\*295\*95mm

**IP grade** IP65

**LED Chip** 5730

**Material** Die casting aluminum



**Model** GD-TG-S15-2

**Watt** 300W

**Light Size** 365\*295\*95mm

**IP grade** IP65

**LED Chip** 5730

**Material** Die casting aluminum

**PRODUCT DETAILS**  
QUALITY IS OUR CULTURE



▶ **01**


**Aluminum alloy cooling**

Thickened die-cast aluminum radiator, good heat dissipation performance, more effectively ensure the life of lamp beads.

▶ **02**

**LED energy saving lamp beads**

Imported LED lamp beads are guaranteed in both brightness and life



▶ **03**

**Lamp shade bracket rotates**

Lamp holder holder can be rotated 180 to install no dead Angle lighting

▶ **04**

**Bold interface line**

All-round waterproof, IP65 standard lamp body + waterproof wire interface, effectively prevent the infiltration of rain.



**LED LAMP BEADS**  
QUALITY IS OUR CULTURE




**LED high efficiency chip**

Imported high-efficiency chip package, More energy efficient

**LARGE CAPACITY IS MORE DURABLE**


Lithium iron phosphate battery

High efficiency long-term storage, with over-discharge protection



# PRODUCT DETAILS

QUALITY IS OUR CULTURE



# INTELLIGENT PHOTONSENSITIVE CONTROL

Automatic charging during the day and lighting at night



## MODE/POWER INDICATOR

The upgraded LED digital display is clearly visible

